KOVONAX

PRODUCT CATALOGUE

Healthcare - Nursing - Clinics - Laboratories - Gastro

| About us | 4 |
|---|-----|
| Cline Collection | 6 |
| Dental Collection | 14 |
| Form Collection | 20 |
| Formex Collection | 26 |
| Mona Collection | 30 |
| Other surgical chairs | 34 |
| Stainless steel chairs | 42 |
| Laboratory and cleanroom chairs | 46 |
| Antistatic chairs | 54 |
| Antistatic chairs for lab. and cleanrooms | 58 |
| Chairs | 62 |
| Congress chairs | 72 |
| Armchairs | 74 |
| Chairs with increased load capacity | 80 |
| Benches | 84 |
| Tables | 88 |
| Nursing beds | 92 |
| Hospital beds | 98 |
| Bed accessories | 102 |
| Sample books | 108 |

Kovonax - the art of metalworking

Our material is metal and our driving force is craftsmanship and modern technology. We have been producing bent metal furniture in the middle of the Hostýn Mountains for more than a hundred years. We develop our own products and continue the tradition of Robert Slezák's manufactory, founded in 1908.

Kovonax is a modern manufacturing company with a strong position in the market of metal furniture, metal surface treatments and metalworking activities. We produce metal furniture: mainly chairs, swivel chairs, armchairs, dining and conference tables, hospital and nursing beds. We carry out custom-made production of metal furniture for healthcare, nursing, education and the military.

You can find Kovonax products in many cities in the Czech and Slovak Republics, the European Union and Ukraine.

In 2013, we proudly revived the premium brand Slezák, designed for lovers of functionalist furniture, elegant lines, and quality design (www.slezak-czech.cz).



Slezak





History

The production of metal furniture in Bystřice pod Hostýnem dates back to 1908. As one of the first manufacturers, Robert Slezák began to provide the surface of products with a galvanic layer consisting of copper, nickel and chrome in 1911. Since 1913, the production of metal chairs and brass furniture began, especially beds, tables and chairs according to his own designs in a combination of metal and wood. The original Slezák plants were part of the Kovona company after 1948, and since 1992 it has been called Kovonax.





- Our own production, based on modern technologies and production program
- We are a manufacturer from the initial processing of the material to the final products
- Thanks to the maximum quality, we provide a five-year warranty on all products
- We have safe and durable products for schools, hospitals and care facilities
- We have valid certifications and attestations for the healthcare sector within the framework of Czech and European standards





Cline Collection

Cline



- chair with ergonomically shaped seat with solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 520 - 710 mm |
|--------------|--------------|
| Seat height | 520 - 710 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 9,5 kg |

Cline K

VO45CAB



- chair with ergonomically shaped seat with solid chrome construction
- circular metal base
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 470 - 600 mm |
|--------------|--------------|
| Seat height | 470 - 600 mm |
| Total width | 500 mm |
| Seat size | 350 x 410 mm |
| Weight | 8 kg |

Cline F

VO48CAB



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 520 - 650 mm |
|--------------|--------------|
| Seat height | 520 - 650 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 7,5 kg |

Cline FK

VO49CAB



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 520 - 650 mm |
|--------------|--------------|
| Seat height | 520 - 650 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 9,5 kg |



Cline K Dental

V058CAB



- chair with ergonomically shaped seat with solid chrome construction
- circular metal base
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 820 - 910 mm |
|--------------|--------------|
| Seat height | 500 - 590 mm |
| Total width | 500 mm |
| Seat size | 350 x 410 mm |
| Weight | 10,5 kg |



Cline F Dental

V059CAB



Total height

Seat height

Total width

Seat size

Weight

870 - 960 mm 550 - 640 mm

350 x 410 mm

620 mm

10 kg

- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

Cline FK Dental

V060CAB



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 870 - 960 mm |
|--------------|--------------|
| Seat height | 550 - 640 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 12 kg |

Cline KL

V067CAB



- chair with ergonomically shaped seat with solid chrome construction
- circular metal base
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- adjusting the height of the backrest using the $% \left(1\right) =\left(1\right) \left(1$
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 810 - 940 mm |
|--------------|--------------|
| Seat height | 500 - 630 mm |
| Total width | 500 mm |
| Seat size | 350 x 410 mm |
| Weight | 12 kg |

Cline FL

V068CAB



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 850 - 980 mm |
|--------------|--------------|
| Seat height | 550 - 680 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 11,5 kg |

Cline FLK

V069CAB



Total height

Seat height

Total width

Seat size

Weight

850 - 980 mm

550 - 680 mm

350 x 410 mm

620 mm

13,5 kg

- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

Cline FLP

V081CAB



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- saddle chair with adjustable height and tilt (14° forward)
- adjustment of the seat height with the foot pedal without the help of hands
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 910 - 1030 mm |
|--------------|---------------|
| Seat height | 610 - 730 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 13 kg |

Cline FP Dental



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt (14° forward)
- adjustment of the seat height with the foot pedal without the help of hands
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 940 - 1020 mm |
|--------------|---------------|
| Seat height | 620 - 700 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 12 kg |

880 - 970 mm

500 - 590 mm

350 x 410 mm

500 mm

11 kg

Total height

Seat height

Total width

Seat size

Weight

Cline FP

V083CAB



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- saddle chair with adjustable height and tilt (14° forward)
- adjustment of the seat height with the foot pedal without the help of hands
- chair upholstered with quality medical leatherette
- rubberized castors for hard floors

| Total height | 580 - 700 mm |
|--------------|--------------|
| Seat height | 580 - 700 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 9,5 kg |

Cline K Dentax

V095CAB



- chair with ergonomically shaped seat with solid chrome construction
- circular metal base
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- robust upholstered backrest
- unlike CLINE products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- rubberized castors for hard floors

Cline KP Dentax

V096CAB



- chair with ergonomically shaped seat with solid chrome construction
- circular metal base
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt (14° forward)
- adjustment of the seat height with the foot pedal without the help of hands
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- robust upholstered backrest
- unlike CLINE products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- rubberized castors for hard floors

| Total height | 960 - 1040 mm |
|--------------|---------------|
| Seat height | 580 - 660 mm |
| Total width | 500 mm |
| Seat size | 350 x 410 mm |
| Weight | 12,5 kg |

Cline F Dentax

V097CAB



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt (14° forward)
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- robust upholstered backrest
- unlike CLINE products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- rubberized castors for hard floors

| Total height | 930 - 1020 mm |
|--------------|---------------|
| Seat height | 550 - 640 mm |
| Total width | 620 mm |
| Seat size | 350 x 410 mm |
| Weight | 10,5 kg |

Cline FP Dentax

V098CAB



- chair with ergonomically shaped seat with solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt (14° forward)
- adjustment of the seat height with the foot pedal without the help of hands
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality medical leatherette
- robust upholstered backrest
- unlike CLINE products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- rubberized castors for hard floors




Seat height


Total width

Seat size

Weight







Dental Collection

Dental CH

V022CAB



- dental chair with a solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 800 - 990 mm |
|-----------------|--------------|
| Seat height | 520 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 11 kg |

Dental CHK

V061CAB



- dental chair with a solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the $% \left(1\right) =\left(1\right) \left(1$
- rubberized castors for hard floors

| Total height | 730 - 860 mm |
|-----------------|--------------|
| Seat height | 450 - 580 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 60 mm |
| Weight | 9 kg |

Dental CHKV

V046CAB



- dental chair with a solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 790 - 920 mm |
|-----------------|--------------|
| Seat height | 510 - 640 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 10 kg |

Dental CHFV

V062CAB



- dental chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 840 - 970 mm |
|-----------------|--------------|
| Seat height | 560 - 690 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 9,5 kg |

Dental CHFVK

V063CAB



- dental chair with a solid chrome construction
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 840 - 970 mm |
|-----------------|--------------|
| Seat height | 560 - 690 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 12 kg |

Dental KVO

V074CAB



- dental chair with a solid chrome construction
- circular metal base
- chair back rotatable through 360°
- chair upholstered with quality medical leatherette
- seat height adjustment using the circle located under the seat
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 890 - 980 mm |
|-----------------|--------------|
| Seat height | 540 - 630 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 11 kg |

Dental FVO

V075CAB



- dental chair with a solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- chair upholstered with quality medical leatherette
- seat height adjustment using the circle located under the seat
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

Dental FVKO V076CAB



- dental chair with a solid chrome construction
- "F" shaped base

940 - 1030 mm

590 - 680 mm

620 mm

110 mm

10,5 kg

ø 400 mm

Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

- height-adjustable circular footrest
- chair back rotatable through 360°
- chair upholstered with quality medical leatherette
- seat height adjustment using the circle located under the seat
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 940 - 1030 mm |
|-----------------|---------------|
| Seat height | 590 - 680 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 12,5 kg |

Dental FVOP

V084CAB



- dental chair with a solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- chair upholstered with quality medical leatherette
- seat height adjustment by foot pedal
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 970 - 1050 mm |
|-----------------|---------------|
| Seat height | 620 - 700 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 11,5 kg |



Dental CHFVP

V085CAB



- dental chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- seat height adjustment by foot pedal adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 870 - 990 mm |
|-----------------|--------------|
| Seat height | 590 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 11,5 kg |

Dentax KVOP

V091CAB



- dental chair with a solid chrome construction
- circular metal base
- chair back rotatable through 360°
- chair upholstered with quality medical leatherette
- robust upholstered backrest
- seat height adjustment by foot pedal
- adjusting the height of the backrest using the locking screw
- unlike DENTAL products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- rubberized castors for hard floors

| Total height | 910 - 990 mm |
|-----------------|--------------|
| Seat height | 570 - 650 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 12 kg |

Dentax KVO

V092CAB



- dental chair with a solid chrome construction
- circular metal base
- chair back rotatable through 360°
- chair upholstered with quality medical leatherette
- robust upholstered backrest
- seat height adjustment using the circle located under the seat
- adjusting the height of the backrest using the locking screw
- unlike DENTAL products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- rubberized castors for hard floors

| Total height | 880 - 970 mm |
|-----------------|--------------|
| Seat height | 540 - 630 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 11,5 kg |

930 - 1020 mm

590 - 680 mm

620 mm

110 mm

11 kg

ø 400 mm

Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

Dentax FVOP

V093CAB



- dental chair with a solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- chair upholstered with quality medical leatherette
- robust upholstered backrest
- seat height adjustment by foot pedal
- adjusting the height of the backrest using the locking screw
- unlike DENTAL products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- rubberized castors for hard floors

| Total height | 960 - 1040 mm |
|-----------------|---------------|
| Seat height | 620 - 700 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 12 kg |

Dentax FVO

V094CAB



- dental chair with a solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- chair upholstered with quality medical leatherette
- robust upholstered backrest
- seat height adjustment using the circle located under the seat
- adjusting the height of the backrest using the locking screw
- unlike DENTAL products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- rubberized castors for hard floors

Dental PLK


V037CAB



- dental chair with a solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 820 - 950 mm |
|-----------------|--------------|
| Seat height | 450 - 580 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 11 kg |





Form Collection

Form HK

VO41CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- chair upholstered with quality medical leatherette
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

| Total height | 520 - 710 mm |
|-----------------|--------------|
| Seat height | 520 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 7 kg |

Form Plus

V040CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 520 - 710 mm |
|-----------------|--------------|
| Seat height | 520 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9 kn |

Form K

V050CAB



- surgical chair with a solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 470 - 600 mm |
|-----------------|--------------|
| Seat height | 470 - 600 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 7,5 kg |

Form F

V051CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| iotai neight | 520 - 650 mm |
|-----------------|--------------|
| Seat height | 520 - 650 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 7 kg |

Form FK

V052CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 520 - 650 mm |
|-----------------|--------------|
| Seat height | 520 - 650 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9 kg |

Form Plus HK

V070CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

| Total height | 500 - 690 mm |
|-----------------|--------------|
| Seat height | 500 - 690 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 9 kg |

Form HK K

V071CAB



- surgical chair with a solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

| Total height | 450 - 580 mm |
|-----------------|--------------|
| Seat height | 450 - 580 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 7,5 kg |

Form HK F

V072CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

| Total height | 500 - 630 mm |
|-----------------|--------------|
| Seat height | 500 - 630 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 7 kg |





Form HK FK

V073CAB



- surgical chair with a solid chrome construction $\mbox{\sc ,} F''$ shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

500 - 630 mm Total height Seat height 500 - 630 mm Total width 620 mm Seat dimensions ø 400 mm Seat thickness 50 mm

9 kg

Weight

Form

V3645



- surgical chair with a solid chrome construction
- five-arm metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 490 - 680 mm |
|-----------------|--------------|
| Seat height | 490 - 680 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 40 mm |
| Weight | 6,5 kg |

Form FP

V086CAB



- surgical chair with a solid chrome construction $\mbox{\sc {\it "F"}}$ shaped base
- chair upholstered with quality medical leatherette
- adjustment of the seat height with the foot pedal without the help of hands
- rubberized castors for hard floors

| Total height | 550 - 670 mm |
|-----------------|--------------|
| Seat height | 550 - 670 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 8,5 kg |

Form HK FP

V087CAB



- surgical chair with a solid chrome construction $_{\prime\prime}{\rm F}^{\prime\prime}$ shaped base
- chair upholstered with quality medical leatherette
- adjustment of the seat height with the foot pedal without the help of hands
- rubberized castors for hard floors

| Total height | 530 - 650 mm |
|-----------------|--------------|
| Seat height | 530 - 650 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | |





Formex Collection

Formex

V3646



- surgical chair with a solid chrome construction
- five-arm metal base
- footrest height adjustable depending on seat height
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 900 - 1090 mm |
|-----------------|---------------|
| Seat height | 520 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 11 kg |

Formex KV

V064CAB



- surgical chair with a solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 910 - 1040 mm |
|-----------------|---------------|
| Seat height | 510 - 640 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 10,5 kg |

Formex FV

V065CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 960 - 1090 mm |
|-----------------|---------------|
| Seat height | 560 - 690 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 10 kg |

Formex FVK

V066CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| 960 - 1090 mm |
|---------------|
| 560 - 690 mm |
| 620 mm |
| ø 400 mm |
| 110 mm |
| 12 kg |
| |

Formex FVP

V088CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- adjustment of the seat height with the foot pedal without the help of hands
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 990 - 1110 mm |
|-----------------|---------------|
| Seat height | 590 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 11,5 kg |

Formex KN

V105CAB



- surgical chair with a solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 850 - 980 mm |
|-----------------|--------------|
| Seat height | 460 - 590 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 60 mm |
| Weight | 9,5 kg |







Mona Collection

Mona

V3612



- surgical chair with a solid chrome construction
- five-arm metal base
- footrest height adjustable depending on seat height
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 640 - 830 mm |
|-----------------|--------------|
| Seat height | 490 - 680 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 40 mm |
| Weight | 9 kg |

Mona II

V044CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- footrest height adjustable depending on seat height
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 640 - 830 mm |
|-----------------|--------------|
| Seat height | 520 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9.5 kn |

Mona II K

V053CAB



- surgical chair with a solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 590 - 720 mm |
|-----------------|--------------|
| Seat height | 470 - 600 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 8 kg |

Mona II F

V054CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 640 - 770 mm |
|-----------------|--------------|
| Seat height | 520 - 650 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 7,5 kg |

Mona II FK

V102CAB



- surgical chair with a solid chrome construction $\mbox{\sc ,} F''$ shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 640 - 770 mm |
|-----------------|--------------|
| Seat height | 520 - 650 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9.5 ka |


Mona II FP

V089CAB



- surgical chair with a solid chrome construction $_{\prime\prime}$ F" shaped base
- chair upholstered with quality medical leatherette
- adjustment of the seat height with the foot pedal without the help of hands
- rubberized castors for hard floors

| Total height | 670 - 790 mm |
|-----------------|--------------|
| Seat height | 550 - 670 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9,5 kg |







Other surgical chairs

Formed



- surgical chair with a solid chrome construction
- five-arm metal base
- footrest height adjustable depending on seat height
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 910 - 1100 mm |
|-----------------|---------------|
| Seat height | 490 - 680 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 40 mm |
| Weight | 11 kg |

Tony



- surgical chair with a solid chrome construction
- five-arm metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 910 - 1100 mm |
|-----------------|---------------|
| Seat height | 490 - 680 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 40 mm |
| Weight | 9 kg |

Formeka

V006CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 900 - 1090 mm |
|-----------------|---------------|
| Seat height | 520 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 11 kg |

RTG V3670

- X-ray chair with a solid chrome construction
- five-arm metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrests using the locking screw
- plastic feet

| Total height | 1150 - 1280 mm |
|-----------------|----------------|
| Seat height | 360 - 490 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 40 mm |
| Weight | 9 kg |
| | |

Noboreta F

V111CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| 930 - 1060 mm |
|---------------|
| 480 - 610 mm |
| 620 mm |
| 450 x 450 mm |
| 40 mm |
| 9,5 kg |
| |

Noboreta V

V031CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 930 - 1 120 mm |
|-----------------|----------------|
| Seat height | 480 - 670 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 9,5 kg |

Kovona

V3790



- surgical chair with a solid chrome construction
- five-arm metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| iotai neignt | 1000 - 1130 mm |
|-----------------|----------------|
| Seat height | 420 - 550 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 10 kg |
| | |



Kovona Plus

V042CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 1000 - 1130 mm |
|-----------------|----------------|
| Seat height | 420 - 550 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 12 kg |

Kovona Plus F

V077CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 1060 - 1190 mm |
|-----------------|----------------|
| Seat height | 480 - 610 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 12 kg |

Kovonax F

V112CAB



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

1060 - 1190 mm

480 - 610 mm

450 x 450 mm

620 mm

40 mm

12 kg

- surgical chair with a solid chrome construction
- "F" shaped base
- upholstered armrests
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

Kovonax Plus F V113CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- upholstered armrests
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 1060 - 1190 mm |
|-----------------|----------------|
| Seat height | 480 - 610 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 12 kg |

Buntex Plus

V004BAB



- surgical chair with a solid chrome construction
- five-arm metal base
- upholstered armrests
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 770 - 900 mm |
|-----------------|--------------|
| Seat height | 430 - 560 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 440 mm |
| Seat thickness | 40 mm |
| Weight | 10 kg |

Zita

V039CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 770 - 900 mm |
|-----------------|--------------|
| Seat height | 410 - 540 mm |
| Total width | 620 mm |
| Seat dimensions | 410 x 410 mm |
| Seat thickness | 30 mm |
| Weight | 9 kg |

Zita F



- surgical chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 820 - 950 mm |
|-----------------|--------------|
| Seat height | 470 - 600 mm |
| Total width | 620 mm |
| Seat dimensions | 410 x 410 mm |
| Seat thickness | 30 mm |
| Weight | 9 kg |

Zita FK

V080CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 820 - 950 mm |
|-----------------|--------------|
| Seat height | 470 - 600 mm |
| Total width | 620 mm |
| Seat dimensions | 410 x 410 mm |
| Seat thickness | 30 mm |
| Weight | 11 kg |

Zita FP

V090CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- adjustment of the seat height with the foot pedal without the help of hands
- rubberized castors for hard floors

| Total height | 860 - 980 mm |
|-----------------|--------------|
| Seat height | 510 - 630 mm |
| Total width | 620 mm |
| Seat dimensions | 410 x 410 mm |
| Seat thickness | 30 mm |
| Weight | 10 kg |

Pentex II

V3840



- surgical chair with a solid chrome construction
- five-arm metal base
- upholstered armrests
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 760 - 890 mm |
|-----------------|--------------|
| Seat height | 410 - 540 mm |
| Total width | 620 mm |
| Seat dimensions | 480 x 480 mm |
| Seat thickness | 30 mm |
| Weight | 10,5 kg |

Pentex III

V043CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- solid beech armrests
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 760 - 890 mm |
|-----------------|--------------|
| Seat height | 410 - 540 mm |
| Total width | 620 mm |
| Seat dimensions | 480 x 480 mm |
| Seat thickness | 30 mm |
| Weight | 10,5 kg |

Pentex III D-F

V103CAB



- surgical chair with a solid chrome construction
- "F" shaped base
- solid beech armrests
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 810 - 940 mm |
|-----------------|--------------|
| Seat height | 470 - 600 mm |
| Total width | 620 mm |
| Seat dimensions | 480 x 480 mm |
| Seat thickness | 30 mm |
| Weight | 10,5 kg |

Pentex Plus

V038CAB



- surgical chair with a solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- upholstered armrests
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 760 - 890 mm |
|-----------------|--------------|
| Seat height | 470 - 600 mm |
| Total width | 620 mm |
| Seat dimensions | 480 x 480 mm |
| Seat thickness | 30 mm |
| Weight | 12 kg |

Ester

V005AAB



- surgical chair with a solid chrome construction
- chair upholstered with quality medical leatherette

| Total height | 450 mm |
|-----------------|----------|
| Seat height | 450 mm |
| Total width | 360 mm |
| Seat dimensions | ø 360 mm |
| Seat thickness | 40 mm |
| Weight | 3,5 kg |

Dana

V040AAB



- surgical chair with a solid chrome construction
- chair upholstered with quality medical leatherette

| Total height | 820 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 520 mm |
| Seat dimensions | 480 x 480 mm |
| Seat thickness | 30 mm |
| Weight | 8 kg |



Hana

V3482



- surgical chair with a solid chrome construction
- solid upholstered armrests
- chair upholstered with quality medical leatherette

| Total height | 820 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 550 mm |
| Seat dimensions | 480 x 480 mm |
| Seat thickness | 30 mm |
| Weight | 7,5 kg |



Ela

V035CBC



- swivel chair with RAL construction
- black polyurethane seat
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 480 - 670 mm |
|-----------------|--------------|
| Seat height | 480 - 670 mm |
| Total width | 520 mm |
| Seat dimensions | ø 330 mm |
| Seat thickness | 30 mm |
| Weight | 7,5 kg |

Dela V033CBC



- swivel chair with RAL construction
- black polyurethane seat and backrest
- seat height adjustment by gas spring rubberized castors for hard floors

| Total height | 810 - 940 mm |
|-----------------|--------------|
| Seat height | 420 - 550 mm |
| Total width | 620 mm |
| Seat dimensions | 460 x 440 mm |
| Seat thickness | 30 mm |
| Weight | 10 kg |



Stainless steel chairs

Nemo I - Stainless steel

V034HDB



- stable stool with solid stainless steel construction
- seat height adjustment by spindle extension
- stool upholstered in quality medical leatherette
- metal base fitted with plastic feet

| iotai neignt | 620 - 840 MM |
|-----------------|--------------|
| Seat height | 620 - 840 mm |
| Total width | 360 mm |
| Seat dimensions | ø 310 mm |
| Seat thickness | 50 mm |
| Weight | 6,5 kg |

Nemo II - Stainless steel



- stable stool with solid stainless steel construction
- seat height adjustment by spindle extension
- stool upholstered in quality medical leatherette
- metal base fitted with plastic feet

| Total height | 390 - 610 mm |
|-----------------|--------------|
| Seat height | 390 - 610 mm |
| Total width | 360 mm |
| Seat dimensions | ø 310 mm |
| Seat thickness | 50 mm |
| Weight | 5,5 kg |

Nemo III - Stainless steel

V036HDB



- stable stool with solid stainless steel construction
- ergonomically shaped seat with an inclination of $5^{\circ}\,$
- footrest at a height of 220 mm above the floor
- stool upholstered in quality medical leatherette
- metal base fitted with plastic feet

| Total height | 780 mm |
|-----------------|--------------|
| Seat height | 780 mm |
| Total width | 500 mm |
| Seat dimensions | 352 x 322 mm |
| Seat thickness | 50 mm |
| Weight | 5 kg |

Formex - Stainless steel

V107CDB

- antistatic surgery chair with solid stainless steel construction
- "f" shaped frame
- chair upholstered in quality antistatic leatherette
- seat height adjustment with foot pedal without
- backrest height adjustment with locking screw
- antistatic wheels

| Total height | 930 - 1050 mm |
|-----------------|---------------|
| Seat height | 540 - 660 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 11,5 kg |

Form HK - Stainless steel

V108CDB



- antistatic surgery chair with solid stainless steel construction
- "f" shaped frame
- chair upholstered in quality antistatic leatherette
- seat height adjustment with foot pedal without using hands
- antistatic wheels

| Total height | 540 - 660 mm |
|-----------------|--------------|
| Seat height | 540 - 660 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 9 kg |

Dentax - Stainless steel

V109CDB



- antistatic chair with a solid stainless steel construction
- "F" shaped base
- chair back rotatable through 360°
- chair upholstered with quality antistatic leatherette
- robust upholstered backrest
- seat height adjustment by foot pedal
- adjusting the height of the backrest using the locking screw
- unlike DENTAL products, the DENTAX chair back holder is located in the middle of the upholstered backrest
- antistatic wheels

| Total height | 930 - 1050 mm |
|-----------------|---------------|
| Seat height | 630 - 750 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 12 kg |
| | |







Laboratory and cleanroom chairs

Form Plus/H



- chair for operating rooms and laboratories
- solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 530 - 720 mm |
|-----------------|--------------|
| Seat height | 530 - 720 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9 kg |

Form K/H



- chair for operating rooms and laboratories
- solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 480 - 610 mm |
|-----------------|--------------|
| Seat height | 480 - 610 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 7,5 kg |

Form F/H



- chair for operating rooms and laboratories
- solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 530 - 660 mm |
|-----------------|--------------|
| Seat height | 530 - 660 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| | |

Form FK/H



- chair for operating rooms and laboratories
- solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover - seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 530 - 660 mm |
|-----------------|--------------|
| Seat height | 530 - 660 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9 kg |
| | |

Form Plus HK/H



- chair for operating rooms and laboratories
- solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

| Total height | 510 - 700 mm |
|-----------------|--------------|
| Seat height | 510 - 700 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 9 kg |

Form HK K/H



- chair for operating rooms and laboratories
- solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

| Total height | 460 - 590 mm |
|-----------------|--------------|
| Seat height | 460 - 590 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weiaht | 7,5 kg |

Form HK F/H



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

510 - 640 mm

510 - 640 mm

620 mm

50 mm

7 kg

ø 400 mm

- chair for operating rooms and laboratories
- solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

Form HK FK/H



- chair for operating rooms and laboratories
- solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment using the circle located under the seat
- rubberized castors for hard floors

| Total height | 510 - 640 mm |
|-----------------|--------------|
| Seat height | 510 - 640 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 9 kg |

Mona II/H



- chair for operating rooms and laboratories
- solid chrome construction
- five-arm metal base
- footrest height adjustable depending on seat height
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 650 - 840 mm |
|-----------------|--------------|
| Seat height | 530 - 720 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9,5 kg |

Mona II K/H



- chair for operating rooms and laboratories
- solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 600 - 730 mm |
|-----------------|--------------|
| Seat height | 480 - 610 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 8 kg |

Mona II F/H



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

650 - 780 mm

530 - 660 mm

620 mm

70 mm

7,5 kg

ø 400 mm

- chair for operating rooms and laboratories
- solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- rubberized castors for hard floors

Mona II FK/H



- chair for operating rooms and laboratories
- solid chrome construction
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 650 - 780 mm |
|--------------------------------|-------------------|
| Seat height | 530 - 660 mm |
| Total width | 620 mm |
| | |
| Seat dimensions | ø 400 mm |
| Seat dimensions Seat thickness | ø 400 mm 70 mm |

Dela V Plus/H



- chair for operating rooms and laboratories
- solid chrome construction
- height-adjustable circular footrest
- black polyurethane seat and backrest
- underside of the seat is covered with high-quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 870 - 1060 mm |
|-----------------|---------------|
| Seat height | 480 - 670 mm |
| Total width | 620 mm |
| Seat dimensions | 460 x 440 mm |
| Seat thickness | 30 mm |
| Weight | 12 kg |

Dela V K/H



- chair for operating rooms and laboratories
- solid chrome construction
- circular metal base
- black polyurethane seat and backrest
- underside of the seat is covered with high-quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 810 - 940 mm |
|-----------------|--------------|
| Seat height | 420 - 550 mm |
| Total width | 620 mm |
| Seat dimensions | 460 x 440 mm |
| Seat thickness | 30 mm |
| Weight | 10,5 kg |

Dela V F/H



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

870 - 1000 mm

480 - 610 mm

460 x 440 mm

620 mm

30 mm

10 kg

- chair for operating rooms and laboratories
- solid chrome construction
- "F" shaped base
- black polyurethane seat and backrest
- underside of the seat is covered with high-quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

Dela V FK/H



- chair for operating rooms and laboratories
- solid chrome construction
- height-adjustable circular footrest
- "F" shaped base
- black polyurethane seat and backrest
- underside of the seat is covered with high-quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 870 - 1000 mm |
|-----------------|---------------|
| Seat height | 480 - 610 mm |
| Total width | 620 mm |
| Seat dimensions | 460 x 440 mm |
| Seat thickness | 30 mm |
| Weight | 12 kg |

Formed/H



- chair for operating rooms and laboratories
- solid chrome construction
- five-arm metal base
- footrest height adjustable depending on seat height
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 920 - 1110 mm |
|-----------------|---------------|
| Seat height | 500 - 690 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 40 mm |
| Weight | 11 kg |

Formed M/H



- chair for operating rooms and laboratories
- solid chrome construction
- five-arm metal base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 860 - 990 mm |
|-----------------|--------------|
| Seat height | 440 - 570 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 40 mm |
| Weight | 9 kg |

Formex Plus/H



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

910 - 1100 mm

530 - 720 mm

620 mm

70 mm

11 kg

ø 400 mm

- chair for operating rooms and laboratories
- solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

Formex/H



- chair for operating rooms and laboratories
- solid chrome construction
- five-arm metal base
- footrest height adjustable depending on seat height
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover - seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 910 - 1100 mm |
|-----------------|---------------|
| Seat height | 530 - 720 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 11 kg |

Formex V Plus/H



- chair for operating rooms and laboratories
- solid chrome construction
- five-arm metal base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 960 - 1150 mm |
|-----------------|---------------|
| Seat height | 570 - 760 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 12 kg |

Formex KV/H



- chair for operating rooms and laboratories
- solid chrome construction
- circular metal base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 920 - 1050 mm |
|-----------------|---------------|
| Seat height | 520 - 650 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 10,5 kg |

Formex FV/H



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

970 - 1100 mm

570 - 700 mm

620 mm

110 mm

10 kg

ø 400 mm

- chair for operating rooms and laboratories
- solid chrome construction
- "F" shaped base
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

Formex FVK/H



- chair for operating rooms and laboratories
- solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair upholstered with quality medical leatherette
- underside of the seat is fitted with a plastic cover
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 970 - 1100 mm |
|-----------------|---------------|
| Seat height | 570 - 700 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 12 kg |

Kovonax F/H



- surgical chair with a solid chrome construction
- "F" shaped base
- upholstered armrests
- chair upholstered with quality medical leatherette seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
 - rubberized castors for hard floors

| Total height | 1060 - 1190 mm |
|-----------------|----------------|
| Seat height | 480 - 610 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 12 kg |





Antistatic chairs

Formex/S



- antistatic chair with solid chrome construction
- five-arm metal base
- footrest height adjustable depending on seat height
- chair upholstered with quality antistatic leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- antistatic castors

| Total height | 900 - 1090 mm |
|-----------------|---------------|
| Seat height | 520 - 710 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 11 kg |

Formex/S without footrest



- antistatic chair with solid chrome construction
- five-arm metal base
- chair upholstered with quality antistatic leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- antistatic castors

| Total height | 840 - 970 mm |
|-----------------|--------------|
| Seat height | 460 - 590 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 10 kg |

Formex FV/S



- antistatic chair with solid chrome construction
- "F" shaped base
- chair upholstered with quality antistatic leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- antistatic castors

| Total height | 960 - 1090 mm |
|-----------------|---------------|
| Seat height | 560 - 690 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 10 kg |

Formex KV/S



- antistatic chair with solid chrome construction
- circular metal base
- chair upholstered with quality antistatic leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- antistatic castors

| iotai neignt | 910 - 1040 mm |
|-----------------|---------------|
| Seat height | 510 - 640 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 10,5 kg |

Form HK K/S



- antistatic chair with solid chrome construction
- circular metal base
- chair upholstered with quality antistatic leatherette
- seat height adjustment using the circle located under the seat
- antistatic castors

| Total height | 450 - 580 mm |
|-----------------|--------------|
| Seat height | 450 - 580 mm |
| Total width | 500 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 7,5 kg |

Form HK F/S



- antistatic chair with solid chrome construction
- "F" shaped base
- chair upholstered with quality antistatic leatherette
- seat height adjustment using the circle located under the seat
- antistatic castors

| Total height | 500 - 630 mm |
|-----------------|--------------|
| Seat height | 500 - 630 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 7 kg |

Buntex Plus/S



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

770 - 900 mm

430 - 560 mm

450 x 440 mm

620 mm

40 mm

11 kg

- antistatic chair with solid chrome construction
- five-arm metal base
- upholstered armrests
- chair upholstered with quality antistatic leatherette
- seat height adjustment by gas spring
- antistatic castors

Kovonax Plus F/S



- antistatic chair with solid chrome construction
- "F" shaped base
- chair upholstered with quality antistatic leatherette
- upholstered armrests
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- antistatic castors

| Total height | 1060 - 1190 mm |
|-----------------|----------------|
| Seat height | 480 - 610 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 12 kg |



Kovona Plus F/S



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

1060 - 1190 mm

480 - 610 mm

450 x 450 mm

620 mm

40 mm

12 kg

- antistatic chair with solid chrome construction
- "F" shaped base
- height-adjustable circular footrest
- chair upholstered with quality antistatic leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- antistatic castors

Kovona/S



- antistatic chair with solid chrome construction
- five-arm metal base
- chair upholstered with quality antistatic leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- antistatic castors

| Total height | 1000 - 1130 mm |
|-----------------|----------------|
| Seat height | 420 - 550 mm |
| Total width | 620 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 10 kg |



Antistatic chairs for laboratory and cleanrooms

Cline FP Dental/HS



- antistatic chair with solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- saddle chair with adjustable height and tilt (14° forward)
- underside of the seat is covered with high-quality medical leatherette
- adjustment of the seat height with the foot pedal $% \left\{ \left(n_{i}^{2}\right) \right\} =0$ without the help of hands
- adjusting the height of the backrest using the locking screw
- chair upholstered with quality antistatic leatherette
- antistatic castors

| 10 | |
|--------------|---------------|
| | |
| Total height | 940 - 1020 mm |

620 - 700 mm

350 x 410 mm

620 mm

12 kg

Seat height

Total width

Weight

Seat dimensions

Formex FVP/HS



- antistatic chair with solid chrome construction
- "F" shaped base
- chair upholstered with quality antistatic leatherette
- underside of the seat is fitted with a plastic cover
- adjustment of the seat height with the foot pedal without the help of hands
- adjusting the height of the backrest using the locking screw
- antistatic castors

| Total height | 1000 - 1120 mm |
|-----------------|----------------|
| Seat height | 600 - 720 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 110 mm |
| Weight | 11,5 kg |

Dental FVOP/HS



Total height

Seat height

Total width

Weight

Seat dimensions

Seat thickness

980 - 1060 mm

630 - 710 mm

620 mm

110 mm

11,5 kg

ø 400 mm

- antistatic chair with solid chrome construction
- "F" shaped base
- chair back rotatable through 360°
- chair upholstered with quality antistatic leatherette - underside of the seat is fitted with a plastic cover
- adjustment of the seat height with the foot pedal
- without the help of hands - adjusting the height of the backrest using the locking screw
- antistatic castors

Mona II FP/HS



- antistatic chair with solid chrome construction
- "F" shaped base
- chair upholstered with quality antistatic leatherette - underside of the seat is fitted with a plastic cover
- adjustment of the seat height with the foot pedal
- without the help of hands
- antistatic castors

| Total height | 680 - 800 mm |
|-----------------|--------------|
| Seat height | 560 - 680 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 9,5 kg |
| | |

Form HK FP/HS



- antistatic chair with solid chrome construction
- "F" shaped base
- chair upholstered with quality antistatic leatherette
- underside of the seat is fitted with a plastic cover
- adjustment of the seat height with the foot pedal without the help of hands
- antistatic castors

| Total height | 540 - 660 mm |
|-----------------|--------------|
| Seat height | 540 - 660 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 50 mm |
| Weight | 8,5 kg |

Cline FP/HS



- antistatic chair with solid chrome construction
- "F" shaped base
- saddle chair with adjustable height and tilt (14° forward)
- underside of the seat is covered with high-quality medical leatherette
- adjustment of the seat height with the foot pedal without the help of hands
- chair upholstered with quality antistatic leatherette
- antistatic castors







Chairs

Ard V3120



- spring chair with metal chrome construction
- seat and backrest made of beech plywood, painted with transparent varnish
- possibility of pickling according to the swatch
- possibility of pressing high-pressure laminate HPL
- fastening of wooden parts with a screw connection, from the rear part of the frame
- chair frame fitted with plastic feet

| Total height | 800 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 460 mm |
| Seat dimensions | 425 x 400 mm |
| Tube diameter | ø 25 mm |
| Weight | 6 kg |

Ara C

V060AAB



- spring chair with metal chrome construction
- seat and backrest upholstered with upholstery fabric or leatherette
- chair frame fitted with plastic feet

| Total height | 820 mm |
|-----------------|--------------|
| Seat height | 480 mm |
| Total width | 480 mm |
| Seat dimensions | 430 x 410 mm |
| Tube diameter | ø 25 mm |
| Weight | 6,5 kg |

Arana

V3130



Total height

Seat height

Total width

Seat dimensions

Tube diameter

Weight

800 mm

460 mm

550 mm

ø 25 mm

7 kg

425 x 400 mm

- spring chair with metal chrome construction
- seat and backrest made of beech plywood, painted with transparent varnish
- solid wooden armrests
- possibility of pickling according to the swatch
- possibility of pressing high-pressure laminate HPL
- fastening of wooden parts with a screw connection, from the rear part of the frame
- chair frame fitted with plastic feet

Ala



- spring chair with metal chrome construction
- seat and backrest made of beech plywood, painted with transparent varnish
- possibility of pickling according to the swatch
- fastening of wooden parts with visible rivets
- chair frame fitted with plastic feet

| Total height | 810 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 410 mm |
| Seat dimensions | 400 x 400 mm |
| Tube diameter | ø 22 mm |
| Weight | 4,5 kg |

Alana

V3030



- spring chair with metal chrome construction
- seat and backrest upholstered with upholstery fabric or leatherette
- chair frame fitted with plastic feet

| Total height | 830 mm |
|-----------------|--------------|
| Seat height | 470 mm |
| Total width | 410 mm |
| Seat dimensions | 410 x 420 mm |
| Tube diameter | ø 22 mm |
| Weight | 5,5 kg |

Dita

V013AAA



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet

Possibility of optional adjustments according to the swatch:

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 430 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 22 mm |
| Weight | 6.5 kg |

Dita K

V032AAA



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet

Possibility of optional adjustments according to the swatch:

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 500 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 25 mm |
| Weight | 6,5 kg |

Paris

V061AAB



- spring chair with metal chrome construction
- shell upholstered in black fabric only
- chair frame fitted with plastic feet

| Total height | 880 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 540 mm |
| Seat dimensions | 430 x 385 mm |
| Tube diameter | ø 22 mm |
| Weight | 7 kg |



Kongresovka

VO49AAA



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet
- stackable chair

Possibility of optional adjustments according to the

holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 500 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 20 mm |
| Weight | 4,5 kg |

Ola

V022AAA



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet
- stackable chair

Possibility of optional adjustments according to the

choice of shell shape K, L, M, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 500 mm |
| Seat dimensions | 370 x 380 mm |
| Tube diameter | ø 16 mm |
| Weight | 5 kg |

Ola K

V031AAA



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet
- stackable chair

Possibility of optional adjustments according to the swatch:

choice of shell shape K, L, M, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 450 mm |
| Seat dimensions | 370 x 380 mm |
| Tube diameter | ø 20 mm |
| Weight | 5 kg |

Olina

V023AAA



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet
- stackable chair

Possibility of optional adjustments according to the swatch:

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell, removable plastic writing desk

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 480 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 20 mm |
| Weight | 5,5 kg |

Olina Plus

V029AAR



Total height

Seat height

Total width

Seat dimensions

Tube diameter

Weight

870 mm

450 mm

560 mm

ø 20 mm

6 kg

430 x 380 mm

- shell chair with metal chrome construction
- beech shell painted with transparent varnish $% \left(\mathbf{r}\right) =\mathbf{r}^{\prime }$
- armrests made of beech plywood
- metal frame fitted with plastic feet
- stackable chair

Possibility of optional adjustments according to the swatch:

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

Edita



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet
- stackable chair

Possibility of optional adjustments according to the swatch:

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 505 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 22 mm |
| Weight | 5,5 kg |

Edita Plus

V028AAR



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- armrests made of beech plywood
- metal frame fitted with plastic feet
- stackable chai

Possibility of optional adjustments according to the swatch:

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 650 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 22 mm |
| Weight | 6.5 kg |

Stratos

V063AAA



- chair with metal chrome construction
- profile frame
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet
- stackable chair

Possibility of optional adjustments according to the swatch:

holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 890 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 460 mm |
| Seat dimensions | 390 x 400 mm |
| Tube diameter | 20 x 20 mm |
| Weight | 5.5 kg |



Kampus

V064AAA



- chair with metal chrome construction
- seat and backrest made of beech plywood, painted with transparent varnish
- possibility of pickling according to the swatch
- possibility of pressing high-pressure laminate HPL
- fixing the backrest with a screw connection from the front of the chair
- chair frame fitted with plastic feet
- stackable chair

| Total height | 810 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 540 mm |
| Seat dimensions | 370 x 420 mm |
| Tube diameter | ø 16 mm |
| Weight | 5 kg |

760 mm

450 mm

470 mm

ø 22 mm

3,5 kg

375 x 395 mm

Total height

Seat height

Total width

Seat dimensions

Tube diameter

Weight

Riky

V065ABA



- chair with metal chrome construction
- seat and backrest made of beech plywood, painted with transparent varnish
- possibility of pickling according to the swatch
- possibility of pressing high-pressure laminate HPL
- fixing the backrest with a screw connection from the front of the chair
- chair frame fitted with plastic feet
- stackable chair

| Total height | 800 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 470 mm |
| Seat dimensions | 400 - 410 mm |
| Tube diameter | ø 22 mm |
| Weight | 7 kg |

Uni

V3275



- chair with metal construction
- frame in RAL
- beech seat and backrest painted with transparent varnish
- possibility of pickling according to the swatch
- fastening of wooden parts with visible rivets
- chair frame fitted with plastic feet
- stackable chair

V006ABA

Tradex



- chair with metal construction
- frame in RAL
- beech seat and backrest painted with transparent varnish
- possibility of pickling according to the swatch
- fastening of wooden parts with visible rivets
- chair frame fitted with plastic feet
- stackable chair

| Total height | 820 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 440 mm |
| Seat dimensions | 390 x 395 mm |
| Tube diameter | ø 22 mm |
| Weight | 4 kg |



Elsa

V2190



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet

Possibility of optional adjustments according to the swatch:

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 880 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 495 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 25 mm |
| Weight | 6 kg |

Studio

V058ABA



Total height

Seat height

Total width

Weight

Seat dimensions

Tube diameter

820 mm

460 mm

430 mm 380 x 380 mm

ø 25 mm

5 kg

- chair with metal construction
- frame in RAL
- beech seat and backrest painted with transparent varnish
- possibility of pickling according to the swatch
- fastening of wooden parts with visible rivets
- chair frame fitted with plastic feet
- stackable chair

Semi

V067AAA



- chair with metal construction
- frame in RAL
- beech seat and backrest painted with transparent varnish
- possibility of pickling according to the swatch
- chair frame fitted with plastic feet
- stackable chair

| Total height | 755 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 495 mm |
| Seat dimensions | 410 x 400 mm |
| Tube diameter | ø 16 mm |
| Weight | 5 kg |

Lýdie

VOGGADD



- chair with metal construction
- frame in RAL
- shell and armrests upholstered with upholstery fabric or leatherette
- chair frame fitted with plastic feet

| Total height | 880 mm |
|-----------------|--------------|
| Seat height | 480 mm |
| Total width | 580 mm |
| Seat dimensions | 380 x 490 mm |
| Tube diameter | ø 20 mm |
| Weight | 8 kg |

Ivana

V3390



- chair with metal chrome construction
- seat and backrest upholstered with upholstery fabric or leatherette
- chair frame fitted with plastic feet
- stackable chair

| Total height | 990 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 430 mm |
| Seat dimensions | 405 x 410 mm |
| Tube diameter | ø 20 mm |
| Weight | 5,5 kg |

IVQ v3360



- chair with metal chrome construction
- seat and backrest upholstered with upholstery fabric or leatherette
- chair frame fitted with plastic feet
- stackable chair

| Total height | 770 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 430 mm |
| Seat dimensions | 405 x 410 mm |
| Tube diameter | ø 20 mm |
| Weight | 5 kg |

Katy

V059AAA



- chair with metal chrome construction
- seat and backrest upholstered with upholstery fabric or leatherette
- chair frame fitted with plastic feet
- stackable chair

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 500 mm |
| Seat dimensions | 390 x 420 mm |
| Tube diameter | ø 16 mm |
| Weight | 8 kg |

Mobi F V114CAA

- swivel chair with a solid chrome construction
- "F" shaped base
- beech shell painted with transparent varnish
- seat height adjustment by gas spring
- rubberized castors for hard floors

Possibility of optional adjustments according to the

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 880 - 1100 mm |
|-----------------|---------------|
| Seat height | 460 - 590 mm |
| Total width | 620 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 30 mm |
| Weight | 8 kg |

Paty



- swivel chair with a metal construction
- five-arm metal base
- frame in RAL 9005 black
- beech seat and backrest painted with transparent varnish
- seat height adjustment by gas spring
- plastic feet, glides or wheels

| Total height | 820 - 1010 mm |
|-------------------------------|-------------------|
| Seat height | 400 - 590 mm |
| Total width | 620 mm |
| | |
| Seat dimensions | 400 mm |
| Seat dimensions Tube diameter | 400 mm ø 30 mm |

Barola

V030AAA



- bar stool with metal chrome construction
- beech shell painted with transparent varnish
- metal footrest
- metal frame fitted with plastic feet

Possibility of optional adjustments according to the

holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat

| Total height | 1080 mm |
|-----------------|--------------|
| Seat height | 800 mm |
| Total width | 470 mm |
| Seat dimensions | 410 x 330 mm |
| Tube diameter | ø 16 mm |
| Weight | 6 kg |

Pat

V026CBA



- swivel chair with a metal construction
- five-arm metal base
- frame in RAL 9005 black
- beech seat painted with transparent varnish
- seat height adjustment by gas spring
- plastic feet, glides or wheels

| Total height | 430 - 620 mm |
|-----------------|--------------|
| Seat height | 430 - 620 mm |
| Total width | 620 mm |
| Seat dimensions | ø 400 mm |
| Tube diameter | ø 30 mm |
| Weight | 5,5 kg |



Congress chairs

Kongres 1



- chair with metal chrome construction
- seat and backrest made of beech plywood, painted with transparent varnish
- metal frame fitted with plastic feet
- fixed non-removable desk
- stackable chair

Possibility of optional adjustments according to the

pickling, color-painted seat and backrest according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest

| Total height | 820 mm |
|-----------------|--------------|
| Seat height | 475 mm |
| Total width | 515 mm |
| Seat dimensions | 410 x 400 mm |
| Tube diameter | ø 16 mm |
| Desk height | 670 mm |
| Weight | 7 kg |

Kongres 2

V069AAR



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet
- fixed non-removable desk
- stackable chair

Possibility of optional adjustments according to the

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 470 mm |
| Total width | 550 mm |
| Seat dimensions | 420 x 360 mm |
| Tube diameter | ø 20 mm |
| Desk height | 670 mm |
| Weight | 7 ka |

Kongres 3

V070ACR



- shell chair with metal chrome construction
- beech shell painted with transparent varnish - metal frame fitted with plastic feet
- removable desk without tools
- stackable chair

Possibility of optional adjustments according to the

pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 470 mm |
| Total width | 480 mm |
| Seat dimensions | 380 x 390 mm |
| Tube diameter | ø 11 mm |
| Desk height | 670 mm |
| Weight | 7 kg |

Kongres 4



- shell chair with metal chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet
- removable desk without tools
- stackable chair

Possibility of optional adjustments according to the

choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 480 mm |
| Total width | 530 mm |
| Seat dimensions | 430 x 380 mm |
| Tube diameter | ø 20 mm |
| Desk height | 670 mm |
| Weight | 8 kg |



Armchairs

V017BAB



- spring armchair with chrome construction
- armchair upholstered with upholstery fabric or quality leatherette
- solid beech armrests painted with transparent
- metal frame fitted with plastic feet

| Total height | 820 mm |
|-----------------|--------------|
| Seat height | 440 mm |
| Total width | 560 mm |
| Seat dimensions | 450 x 480 mm |
| Tube diameter | ø 25 mm |
| Weight | 7 kg |

Dan

V3060



- spring armchair with chrome construction
- armchair upholstered with upholstery fabric or quality leatherette
- upholstered armrests
- metal frame fitted with plastic feet

| Total height | 890 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 590 mm |
| Seat dimensions | 500 x 450 mm |
| Tube diameter | ø 25 mm |
| Weight | 8 kg |

Raul V006BAB



- spring armchair with chrome construction
- armchair upholstered with upholstery fabric or quality leatherette
- upholstered armrests
- metal frame fitted with plastic feet

| Total height | 850 mm |
|-----------------|--------------|
| Seat height | 420 mm |
| Total width | 630 mm |
| Seat dimensions | 510 x 510 mm |
| Tube diameter | ø 25 mm |
| Weight | 16 kg |

Raul 1+

V025HAB



- armchair with chrome construction
- armchair upholstered with upholstery fabric or quality leatherette
- upholstered armrests
- metal frame fitted with plastic feet

| Total height | 960 mm |
|-----------------|--------------|
| Seat height | 420 mm |
| Total width | 730 mm |
| Seat dimensions | 550 x 650 mm |
| Tube diameter | ø 25 mm |
| Weight | 15 ka |

Raul 2+

V006HAB



- sofa with chrome construction
- sofa upholstered with upholstery fabric or quality leatherette
- metal frame fitted with plastic feet

| Total height | 960 mm |
|-----------------|---------------|
| Seat height | 420 mm |
| Total width | 1270 mm |
| Seat dimensions | 1220 x 650 mm |
| Tube diameter | ø 25 mm |
| Weight | 35 kg |

Raul 3+

V024HAB



- sofa with chrome construction
- sofa upholstered with upholstery fabric
- or quality leatherette
- metal frame fitted with plastic feet

| Total height | 960 mm |
|-----------------|---------------|
| Seat height | 420 mm |
| Total width | 1890 mm |
| Seat dimensions | 1840 x 650 mm |
| Tube diameter | ø 25 mm |
| Weight | 52 kg |

Minidelta F

V078CAB



- swivel armchair with a solid chrome construction
- "F" shaped base
- armchair upholstered with upholstery fabric or quality leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 1060 - 1160 mm |
|-----------------|----------------|
| Seat height | 480 - 580 mm |
| Total width | 620 mm |
| Seat dimensions | 490 x 420 mm |
| Tube diameter | ø 30 mm |
| Weight | 16 kg |

Minidelta Plus F

V021BAB



- swivel armchair with a solid chrome construction
- "F" shaped base
- armchair upholstered with upholstery fabric or quality leatherette
- upholstered armrests
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 1060 - 1160 mm |
|-----------------|----------------|
| Seat height | 480 - 580 mm |
| Total width | 620 mm |
| Seat dimensions | 490 x 420 mm |
| Tube diameter | ø 30 mm |
| Weight | 18 kg |

Lyra V104CNB



- swivel chair with solid structure
- five-arm plastic base
- armchair upholstered with upholstery fabric or quality leatherette
- plastic armrests
- seat height adjustment by gas spring
- synchronous mechanism allowing independent adjustment of the backrest inclination
- rubberized castors for hard floors
- option without armrests

| Total height | 1040 - 1170 mm |
|-----------------|----------------|
| Seat height | 470 - 600 mm |
| Total width | 660 mm |
| Seat dimensions | 500 x 460 mm |
| Weight | 10 kg |



- swivel armchair with solid structure
- five-arm aluminum base
- armchair upholstered with upholstery fabric or quality leatherette
- height-adjustable plastic armrests
- seat height adjustment by gas spring
- swinging mechanism
- rubberized castors for hard floors
- possibility of upholstered or beech armrests

| Total height | 1190 - 1280 mm |
|-----------------|----------------|
| Seat height | 470 - 560 mm |
| Total width | 710 mm |
| Seat dimensions | 580 x 480 mm |
| Tube diameter | ø 30 mm |
| Weight | 20 kg |

Senior

V3950



- swivel armchair with solid structure
- five-arm aluminum base
- armchair upholstered with upholstery fabric or quality leatherette
- upholstered armrests
- seat height adjustment by gas spring
- rubberized castors for hard floors
- possibility of upholstered or beech armrests

| Total height | 1190 - 1290 mm |
|-----------------|----------------|
| Seat height | 470 - 570 mm |
| Total width | 660 mm |
| Seat dimensions | 580 x 480 mm |
| Tube diameter | ø 30 mm |
| Weight | 19 kg |



- swivel armchair with a solid structure
- five-arm aluminum base
- armchair upholstered with upholstery fabric or quality leatherette
- upholstered armrests
- seat height adjustment by gas spring
- rubberized castors for hard floors
- possibility of upholstered or beech armrests

| Total height | 900 - 1000 mm |
|-----------------|---------------|
| Seat height | 470 - 570 mm |
| Total width | 710 mm |
| Seat dimensions | 580 x 480 mm |
| Tube diameter | ø 30 mm |
| Weight | 19 kg |

Dorina

V011CRB



- swivel armchair with solid chrome construction
- five-arm base
- armchair upholstered with upholstery fabric or quality leatherette
- plastic armrests
- seat height adjustment by gas spring asynchronous mechanism allowing independent adjustment of seat and backrest inclination
- rubberized castors for hard floors
- option without armrests

| Total height | 980 - 1120 mm |
|-----------------------|---------------|
| Seat height | 460 - 600 mm |
| Total width | 660 mm |
| Seat dimensions | 470 x 450 mm |
| Profile cross-section | 40 x 20 mm |
| Weight | 18 kg |

Office

V022BRR



- swivel armchair with solid chrome construction
- five-arm base
- armchair upholstered with upholstery fabric or quality leatherette
- plastic armrests
- seat height adjustment by gas spring
- asynchronous mechanism allowing independent adjustment of seat and backrest inclination
- rubberized castors for hard floors
- option without armrests

| Total height | 1180 - 1280 mm |
|-------------------|----------------|
| Seat height | 470 - 560 mm |
| Total width | 660 mm |
| Seat dimensions | 470 x 480 mm |
| Armrest extension | 80 mm |
| Weight | 14 kg |
| | |







Chairs and armchairs with increased load capacity

Form 200



- swivel chair with a load capacity of up to 200 kg
- chrome base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- rubberized castors for hard floors

| Total height | 470 - 600 mm |
|-----------------|--------------|
| Seat height | 470 - 600 mm |
| Total width | 660 mm |
| Seat dimensions | ø 400 mm |
| Seat thickness | 70 mm |
| Weight | 6,5 kg |

Kovona 200



- swivel chair with a load capacity of up to 200 kg
- chrome base
- chair upholstered with quality medical leatherette
- seat height adjustment by gas spring
- adjusting the height of the backrest using the locking screw
- rubberized castors for hard floors

| Total height | 1020 - 1130 mm |
|-----------------|----------------|
| Seat height | 440 - 570 mm |
| Total width | 660 mm |
| Seat dimensions | 450 x 450 mm |
| Seat thickness | 40 mm |
| Weight | 10 kg |



- swivel armchair with a load capacity of up to 200 kg
- chrome base
- armchair upholstered with high-quality medical leatherette or upholstery fabric
- seat height adjustment by gas spring
- rubberized castors for hard floors
- upholstered or beech armrests

| 380 - 980 mm |
|--------------|
| 150 - 550 mm |
| 710 mm |
| 580 x 480 mm |
| 30 mm |
| 9 kg |
| |



- swivel armchair with a load capacity of up to 200 kg
- chrome base
- armchair upholstered with high-quality medical leatherette or upholstery fabric
- seat height adjustment by gas spring
- rubberized castors for hard floors
- upholstered or beech armrests

| Total height | 1170 - 1270 mm |
|-----------------|----------------|
| Seat height | 450 - 550 mm |
| Total width | 710 mm |
| Seat dimensions | 580 x 480 mm |
| Tube diameter | ø 30 mm |
| Weight | 19 kg |



Dava PH

V016BAB



- armchair with a load capacity of up to 200 kg
- chrome metal frame
- armchair upholstered with high-quality medical leatherette or upholstery fabric
- nlastic feet

| Total height | 940 mm |
|-----------------|--------------|
| Seat height | 480 mm |
| Total width | 700 mm |
| Seat dimensions | 580 x 480 mm |
| Tube diameter | ø 35 mm |
| Weight | 20 kg |

Senior PH

V015BAB



- armchair with a load capacity of up to 200 kg
- chrome metal frame
- armchair upholstered with high-quality medical leatherette or upholstery fabric
- nlastic feet

| Total height | 1240 mm |
|-----------------|--------------|
| Seat height | 480 mm |
| Total width | 700 mm |
| Seat dimensions | 580 x 480 mm |
| Tube diameter | ø 35 mm |
| | , |





Benches

Elsa 3 Plus

V6660



- three-seater bench with solid chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet

Possibility of optional adjustments according to the swatch:

2-3-4 seats, possibility to replace the seat with a side table, choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell, color-painted metal frame according to the RAL

| Total height | 880 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 1580 mm |
| Seat dimensions | 430 x 380 mm |
| Weight | 18 kg |

Ata 3D

V016HAA



- three-seater bench with solid chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet

Possibility of optional adjustments according to the swatch:

2-3-4-5 seats, possibility to replace the seat with a side table, choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell, color-painted metal frame according to the RAL.

| Total height | 880 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 1750 mm |
| Seat dimensions | 430 x 380 mm |
| Weight | 17 kg |



Ata 3D with a side table

V016HAA



- three-seater bench with solid chrome construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet

Possibility of optional adjustments according to the swatch:

2-3-4-5 seats, possibility to replace the seat with a side table, choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell, color-painted metal frame according to the RAL.

| Total height | 880 mm |
|-----------------|--------------|
| Seat height | 460 mm |
| Total width | 1750 mm |
| Seat dimensions | 430 x 380 mm |
| Weight | 17 kg |

Ada 2D

V015HBA



- two-seater bench with solid painted construction
- beech shell painted with transparent varnish
- metal frame fitted with plastic feet

Possibility of optional adjustments according to the swatch:

2-3-4-5 seats, possibility to replace the seat with a side table, choice of shell shape A,B,D,E,F,G,H, holes in the shell, pickling, color-painted shell according to the RAL, pressing of high-pressure laminate HPL, upholstered seat, upholstered backrest, fully upholstered inserted shell, color-painted metal frame according to the RAL, possibility of attaching to the floor.

| Total height | 870 mm |
|-----------------|--------------|
| Seat height | 450 mm |
| Total width | 1240 mm |
| Seat dimensions | 430 x 380 mm |
| Weight | 17 kg |





Tables

Demont

V4235



Total height

Weiaht

Table dimensions

Profile cross-section

750 mm

800 x 800 mm

30 x 30 mm

17 - 30 ka

- dining table 800 x 800 mm
- table top laminate, shade according to the swatch
- table top thickness 18 mm, ABS edges 2 mm
- metal frame in RAL

Olina S

V015DAA

- table frame profile 40 x 20 mm
- table leg profile 30 x 30 mm
- plastic feet

Optional modifications according to the sample book:

Possible table dimensions: 800 x 800, 1000, 1200, 1400, 1600 mm.

Demont Plus

V4445



Total height

Table dimensions

Tube diameter

Weight

750 mm

ø 35 mm

17 - 30 kg

800 x 800 mm

- dining table 800 x 800 mm
- table top laminate, shade according to the swatch
- table top thickness 18 mm, ABS edges 2 mm
- table frame in RAL 9006, chrome table legs
- table frame profile 40 x 20 mm
- table leg tube 35 mm
-

- plastic feet

Optional modifications according to the sample book:

Possible table dimensions: 800 x 800, 1000, 1200, 1400, 1600 mm.

Michal

V040DAA



- dining table 800 x 800 mm
- table top laminate, shade according to the swatch
- table top thickness 25 mm, ABS edges 2 mm
- metal chrome legs
- plastic feet

- Total height 750 mm

 Table dimensions 800 x 800 mm

 Tube diameter Ø 35 mm

 Weight 17 kg
- dining table 800 x 1300 mm
- table top laminate, shade according to the swatch
- table top thickness 25 mm, ABS edges 2 mm
- metal chrome frame
- plastic rectification glides
- the tabletop is equipped with a mechanism that allows the tabletop to be attached to the base and removed again without the use of tools
- tabletop layout for better storage

| Total height | 725 mm |
|------------------|---------------|
| Table dimensions | 800 x 1300 mm |
| Tube diameter | ø 35 mm |
| Weight | 28 kg |

Klaptisch

V016DAA



- table 700 x 1200 mm with the possibility of folding legs
- table top laminate, shade according to the swatch
- table top thickness 25 mm, ABS edges 2 mm
- metal chrome frame
- plastic feet

| Total height | 720 mm |
|------------------|---------------|
| Table dimensions | 700 x 1200 mm |
| Tube diameter | ø 40 mm |
| Weight | 28 kg |
| | |

Saxi

V035DAA



- a round table with a solid metal structure
- laminate table top shade according to the sample book
- plate thickness 18 mm, ABS edges 2 mm
- chromed metal base
- plastic feet

| Total height | 750 mm |
|------------------|----------|
| Table dimensions | ø 700 mm |
| Total widht | 700 mm |
| Tube diameter | ø 28 mm |
| Weight | 12 kg |

Riky VO38DAA



- dining table 800 x 1300 mm
- table top laminate, shade according to the swatch
- table top thickness 25 mm, ABS edges 2 mm
- metal frame in RAL
- plastic feet

| Total height | 750 mm |
|-----------------------|---------------|
| Table dimensions | 800 x 1300 mm |
| Profile cross-section | 60 x 30 mm |
| Weight | 30 kg |

Miky VO39DAA



- coffee table 600 x 1200 mm
- table top laminate, shade according to the swatch
- table top thickness 25 mm, ABS edges 2 mm
- metal frame in RAL
- plastic feet

| Total height | 560 mm |
|-----------------------|---------------|
| Table dimensions | 600 x 1200 mm |
| Profile cross-section | 60 x 30 mm |
| Weight | 25 kg |





Nursing beds

Sabina VI

V036EBN



- mechanically operated bed
- 4-section loading area made of welded steel mesh
- positioning of the head panel by a gas spring, foot panel by a rastomat
- metal parts RAL according to the swatch
- bed headboards made of LTD beech, thickness 25mm $\,$
- barriers made of MDF, thickness 25mm in the same shade
- bed equipped with castors, diameter 100 mm, with brake

Optional accessories:

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand, choice of bed headboard shape, 2-section loading area

| Total height | 920 mm |
|-------------------------------|----------------|
| Height of the loading area | 500 mm |
| External dimension of the bed | 1050 x 2140 mm |
| Dimension of the loading area | 900 x 2000 mm |
| Load capacity | 190 kg |
| Weight | 75 kg |

Sabina VI - hydraulic bed

V036EBN



- mechanically operated bed
- 4-section loading area made of welded steel mesh
- adjustment of the height of the loading area by a hydraulic jack with scissor lift
- positioning of the head panel and foot panel with a rastomat $% \left(1\right) =\left(1\right) \left(1\right)$
- metal parts RAL according to the swatch
- bed headboards made of LTD beech, thickness 25mm
- barriers made of MDF, thickness 25mm in the same shade
- bed equipped with castors, diameter 100 mm, with brake

Optional accessories:

anti-decubitus mattress – passive, lifting pole with plastic triangular holder, fixed infusion stand, choice of bed headboard shape, 2-section loading area

| Total height | 755 - 1080 mm |
|-----------------------|----------------|
| Height of the loading | 390 - 715 mm |
| External dimension of | 1050 x 2140 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 185 kg |
| Weight | 120 kg |

Bed care classic

V037ECN



- electrically operated bed
- 4-section loading area made of welded steel mesh
- bed surface height adjustment by electric motors located under the bed surface
- positioning of the head and foot panels by electric motor
- positioning of the calf panel by rastomat
- metal parts RAL according to the sample book
- bed headboards made of LTD beech, thickness 25mm
- barriers made of MDF, thickness 25mm in the same shade
- bed fitted with castors, diameter 100 mm with central braking

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand, choice of bed headboard shape

| Total height | 810 - 1150 mm |
|-----------------------|----------------|
| Height of the loading | 440 - 790 mm |
| External dimension of | 1050 x 2160 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 200 kg |
| Weight | 130 kg |

Bed care low

V137ECN



- electrically operated bed
- 4-section loading area made of welded steel mesh
- bed surface height adjustment by electric motors located under the bed surface
- positioning of the head and foot panels by electric motor
- positioning of the calf panel by rastomat
- metal parts RAL according to the sample book
- bed headboards made of LTD beech, thickness 25mm
- barriers made of MDF, thickness 25mm in the same shade
- bed fitted with castors, diameter 100 mm with central braking

Optional accessories:

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand, choice of bed headboard shape

| Total height | 660 - 1120 mm |
|-----------------------|----------------|
| | 000 750 |
| Height of the loading | 290 - 750 mm |
| External dimension of | 1050 x 2160 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 200 kg |
| Weight | 135 ka |

Bed matrix classic

VO45ECN



- electrically operated bed
- 4-section loading area made of welded steel mesh
- bed surface height adjustment by electric motors located in the bed headboards
- positioning of the head and foot panels by electric motor, calf panel by rastomat
- metal parts RAL according to the sample book
- bed headboard fillings LTD beech, thickness 25 mm, barriers MDF, thickness 25 mm in the same shade
- bed equipped with castors, diameter 100 mm, with brake

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand

| Total height | 840 - 1240 mm |
|-----------------------|----------------|
| Height of the loading | 400 - 800 mm |
| External dimension of | 1030 x 2150 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 185 kg |
| Weight | 80 kg |

Bed matrix low

V145ECN



- electrically operated bed
- 4-section loading area made of welded steel mesh
- bed surface height adjustment by electric motors located in the bed $% \left(1\right) =\left(1\right) \left(1$
- positioning of the head and foot panels by electric motor, calf panel by rastomat
- metal parts RAL according to the sample book
- bed headboard fillings LTD beech, thickness 25 mm, barriers MDF, thickness 25 mm in the same shade
- bed equipped with castors, diameter 100 mm, with brake

Optional accessories:

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand

| Total height | 640 - 1040 mm |
|-----------------------|----------------|
| Height of the loading | 200 - 600 mm |
| External dimension of | 1030 x 2150 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 185 kg |
| Weight | 80 ka |

Bed comfy classic

V046ECN



- electrically operated bed
- 4-section loading area made of welded steel mesh
- bed surface height adjustment by electric motors located in the bed headboards
- positioning of the head and foot panels by electric motor, calf panel by rastomat $\,$
- metal parts RAL according to the sample book
- bed headboard cladding LTD beech, thickness 18 mm, barriers MDF, thickness 25 mm in the same shade
- bed equipped with castors, diameter 100 mm, with brake

Optional accessories

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand

| Total height | 860 - 1260 mm |
|-----------------------|----------------|
| Height of the loading | 400 - 800 mm |
| External dimension of | 1030 x 2210 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 185 kg |
| Weight | 90 kg |

Bed comfy low

V146ECN



- electrically operated bed
- 4-section loading area made of welded steel mesh
- bed surface height adjustment by electric motors located in the bed headboards
- positioning of the head and foot panels by electric motor, calf panel by rastomat $\,$
- metal parts RAL according to the sample book
- bed headboard cladding LTD beech, thickness 18 mm, barriers MDF, thickness 25 mm in the same shade
- bed equipped with castors, diameter 100 mm, with brake

Optional accessories:

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand

| Total height | 660 - 1060 mm |
|-----------------------|----------------|
| Height of the loading | 200 - 600 mm |
| External dimension of | 1030 x 2260 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 185 kg |
| Weight | 95 ka |

Ortika bed kids



- electrically operated children's bed
- 4-section loading area made of welded steel mesh
- bed surface height adjustment by electric motors located in the bed headboards
- positioning of the head and foot panels by electric motor, calf panel by rastomat
- metal parts RAL according to the sample book
- bed headboard fillings LTD beech, thickness 25 mm, barriers MDF, thickness 25 mm in the same shade
- bed equipped with castors, diameter 100 mm, with brake

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand

| Total height | 840 - 1240 mm |
|-----------------------|---------------|
| Height of the loading | 400 - 800 mm |
| External dimension of | 930 x 2000 mm |
| Dimension of the | 800 x 1800 mm |
| Load capacity | 185 kg |
| Weight | 75 kg |

Bed care maxi

V237ECN




- electrically operated bed
- 4-section loading area made of welded steel mesh
- bed surface height adjustment by electric motors located under the bed surface
- positioning of the head and foot panels by electric motor
- positioning of the calf panel by rastomat
- metal parts RAL according to the sample book
- bed headboards made of LTD beech, thickness 25mm
- barriers made of MDF, thickness 25mm in the same shade
- bed fitted with castors, diameter 100 mm with central braking

Optional accessories:

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand, choice of bed headboard shape

| Total height | 810 - 1260 mm |
|-----------------------|----------------|
| Height of the loading | 440 - 790 mm |
| External dimension of | 1350 x 2160 mm |
| Dimension of the | 1200 x 2000 mm |
| Load capacity | 200 kg |
| Weight | 135 kg |



Hospital beds

Ordino D

VO41EBN



- examination bed, fixed
- 2-section loading area
- positioning of the head panel by a rastomat
- foot part without positioning
- loading area upholstered with high-quality medical leatherette
- metal parts RAL according to the swatch
- plastic feet

Optional accessories:

castors diameter 100mm with brake, toilet paper holder, hole for face

| Total height | 740 mm |
|----------------------------|---------------|
| Height of the loading area | 740 mm |
| External dimension of | 750 x 2000 mm |
| Dimension of the loading | 750 x 2000 mm |
| Load capacity | 190 kg |
| Weight | 25 kg |

Sabina II

V032EBN



- mechanically operated bed
- 4-section loading area made of welded steel mesh
- positioning of the head and foot panel with a rastomat
- metal parts RAL according to the swatch
- metal bed headboards with LTD filling, thickness 18mm
- fixed bed without castors

Optional accessories:

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand, quick-release barrier 2/3 left, quick-release barrier 2/3 right, castors diameter 100mm with brake, 2-section loading area

| iotai neignt | /80 mm |
|-----------------------|---------------|
| Height of the loading | 500 mm |
| External dimension of | 970 x 2160 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 185 kg |
| Weight | 50 kg |
| | |

Sabina III

V033EBN



- mechanically operated bed
- 4-section loading area made of welded metal slats
- positioning of the head panel with a gas spring and foot panel with a rastomat
- metal parts RAL according to the swatch
- metal bed headboards with LTD filling, thickness 18mm
- bed equipped with castors, diameter 100mm with brake

Optional accessories:

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand, quick-release barrier 2/3 left, quick-release barrier 2/3 right

| Total height | 760 mm |
|-----------------------|---------------|
| Height of the loading | 500 mm |
| External dimension of | 970 x 2210 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 190 kg |
| Weight | 55 kg |

Sabina VIII



- electrically operated bed
- 4-section loading area made of welded metal slats
- Adjustment of the height of the loading area by an electric motor with scissor lift
- positioning of the head and foot panel by an electric motor, calf panel by a rastomat
- metal parts RAL according to the swatch
- metal bed headboards with LTD filling, thickness 18mm
- bed equipped with castors, diameter 100mm with brake

Optional accessories:

anti-decubitus mattress - passive, lifting pole with plastic triangular holder, fixed infusion stand, quick-release barrier 2/3 left, quick-release barrier 2/3 right

| Total height | 680 - 1040 mm |
|-----------------------|---------------|
| Height of the loading | 420 - 780 mm |
| External dimension of | 970 x 2210 mm |
| Dimension of the | 900 x 2000 mm |
| Load capacity | 185 kg |
| Weight | 100 ka |

Bed slats

Metal mesh



Metal slats



Bed headboards



Type A




Type C



Type B



Type D



Bed accessories

Antidecubitic Mattress N35



- the core of the mattress is made of cold foam with longitudinal and transverse cuts
- the mattress is suitable for the protection of users with low to medium pressure ulcers (1st 2nd degree)
- SAFR coating waterproof, vapor permeable
- elastic on both sides and washable at 95°C
- passive air circulation

Optional modifications:

mattress size: 2000x840mm mattress height: 100mm, 140mm

| Mattress dimensions | 2000 x 900 mm |
|---------------------|---------------|
| Mattress height | 120 mm |
| Load capacity | 150 kg |
| Weight | 10 kg |

Antidecubitic Mattress N40



- the core of the mattress is made of cold foam with longitudinal and transverse cuts
- the mattress is suitable for the protection of users with medium and high pressure ulcers (2nd 3rd degree)
- SAFR coating waterproof, vapor permeable
- elastic on both sides and washable at 95°C
- passive air circulation
- reinforced edges for a stable seat and lift

Optional modifications:

mattress size: 2000x840mm mattress height: 100mm, 140mm

| Mattress dimensions | 2000 x 900 mm |
|---------------------|---------------|
| Mattress height | 120 mm |
| oad capacity | 200 kg |
| Weight | 12 kn |

Mattress N30



- the core of the mattress is made of cold foam
- SAFR coating waterproof, vapor permeable, elastic on both sides and washable at 95°C


Optional modifications:

mattress size: 2000x840mm, 2000x800mm, 2000x700mm mattress height: 100mm, 140mm NERO cover - 100% polyester, washable at 60°C

| Mattress dimensions | 2000 x 900 mm |
|---------------------|---------------|
| Mattress height | 120 mm |
| Load capacity | 130 kg |
| Weight | 10 kg |

Folding Barrier 2/3

V050EBN Right V051EBN Left



- mechanically operated metal folding barrier
- one-sided tilting
- metal parts RAL according to the swatch
- the barriers are attached to the bed insert with a metric screw
- version: right/left

| Total length | 1430 mm |
|---------------|---------|
| Total height | 400 mm |
| Tube diameter | ø 25 mm |
| Weight | 12 kg |

Lifting Pole V5390

- metal lifting pole with plastic triangular holder
- plastic triangular holder with adjustable strap
- metal parts RAL according to the swatch
- attachment to a holder welded in the corner of the bed insert

| Total length | 1180 mm |
|---------------|---------|
| Total height | 1440 mm |
| Tube diameter | ø 32 mm |
| Weight | 5 kg |

Infusion Stand - fixed

V5650



- metal chrome-plated stand with adjustable height of the infusion holder
- stand equipped with 2 hooks
- $\ensuremath{\mathsf{RAL}}$ infusion holder according to the swatch
- attachment to a holder welded in the corner of the bed insert

| Total length | 900 mm |
|---------------|---------|
| Tube diameter | ø 25 mm |
| Weight | 2 kg |

Infusion Stand - mobile

V5600



- metal stand height adjustable by locking screw
- the pull-out part is equipped with an infusion holder with 2 hooks
- metal parts RAL according to the swatch
- plastic castors

| Total length | 1400 - 2300 mm |
|---------------|----------------|
| Total height | 620 mm |
| Tube diameter | ø 30 mm |
| Weight | 7 kg |

Maty 1



- double sided bedside table
- table layout: drawer, cabinet with shelf and two freely accessible compartments
- table made of LTD beech, thickness 18mm, ABS edges 2mm
- storage plate with raised edge made of ABS plastic
- table equipped with plastic castors, 2 of them with brake

brako

Total length

Total height

Total depth

Weight

865 mm

420 mm

450 mm

26 kg

Optional modifications:
plastic drawer insert, towel holder, cabinet lock

Maty 2



- double sided bedside table with dining table
- integrated folding dining table without height adjustment $\begin{tabular}{ll} \hline \end{tabular}$
- table layout: drawer, cabinet with shelf and two freely accessible compartments
- table made of LTD beech, thickness 18mm, ABS edges 2mm
- storage plate with raised edge made of ABS plastic
- table equipped with plastic castors, 2 of them with brake

Optional modifications:

plastic drawer insert, towel holder, cabinet lock

| Total length | 880 mm |
|----------------------------|--------|
| Total height | 500 mm |
| Total depth | 450 mm |
| Height of the dining table | 800 mm |
| Weight | 32 kg |

Maty 3



- double sided bedside table with dining table
- integrated tilting dining table with height adjustment by means of a gas piston and tilt with locking in three positions
- table layout: drawer, cabinet with shelf and two freely accessible compartments
- table made of LTD beech, thickness 18mm, ABS edges 2mm
- storage plate with raised edge made of ABS plastic
- table equipped with plastic castors, 2 of them with brake

Optional modifications:

plastic drawer insert, towel holder, cabinet lock

| Total length | 820 mm |
|----------------------------|---------------|
| Total height | 520 mm |
| Total depth | 450 mm |
| Height of the dining table | 800 - 1100 mm |
| Weight | 50 kg |

Dining Table Hami



- metal dining table with wooden top
- mechanical height adjustment without the possibility of tilting the dining table
- metal parts RAL according to the swatch
- table equipped with plastic castors

| Total length | 760 mm |
|--------------|--------|
| Total height | 420 mm |
| Total depth | 960 mm |
| Weight | 12 kg |

Preva

V6005



- metal transport trolley
- metal parts RAL according to the swatch
- upholstered with quality medical leatherette
- armrests tilting to the sides
- folding metal footrest
- trolley equipped with castors: front diameter 200mm, rear swivel, diameter 125mm with brake

| Total height | 1040 mm |
|-----------------|--------------|
| Seat height | 550 mm |
| Total width | 790 mm |
| Seat dimensions | 540 x 480 mm |
| Weight | 18 kg |

Reha

V009HBB



- metal transport trolley
- metal parts RAL according to the swatch

- upholstered with quality medical leatherette
 armrests tilting to the sides
 folding metal footrest
 trolley equipped with castors: front swivel, diameter 125mm with brake, rear - diameter 300mm

| Total height | 1060 mm |
|-----------------|--------------|
| Seat height | 570 mm |
| Total width | 650 mm |
| Seat dimensions | 420 x 480 mm |
| Weight | 18 kg |

Porthos


V7860



- metal chrome hanger
- solid stable construction

Optional modifications: RAL design according to the swatch

| Total length | 1900 mm |
|---------------|---------|
| Total height | 620 mm |
| Tube diameter | ø 30 mm |
| Weight | 6 kg |









Sample books

MEDITAP leatherettes



DOLARO leatherettes



URBAN leatherettes



Antistatic leatherettes




DINO upholstery fabrics



BOMBAY upholstery fabrics



Table tops



POLYREY laminates




POLYREY - ORIGINE laminates



Pickling



RAL



Shells and bases















